



au *Lika*

 **Saeco**

Aulika



Description

Aulika is a professional automatic machine designed for the Office market, and is the expression of the high quality of Saeco technology.

It is equipped with a brewing unit with preinfusion and electronic regulation of coffee in the cup.

It is also equipped with the "one-touch milk" dispenser function, which is compatible with the office requirements, and with a hot water wand.

Aulika is operated through a direct selection keypad, with an easily read display.

Aulika can work both autonomously or in water net connection version.

Main characteristics

- High capacity containers for professional use
- 8 selection keys with direct selection of 5 types of drinks
- Simple, intuitive display
- "One Touch" function to prepare a cappuccino and/or latte with a single touch
- Hot water wand
- Water filter installation and possibility to set the water hardness value
- Mechanical regulation of grinding blades
- Stainless steel front and upper panels

Characteristics

The machine is supplied with an autonomous 4-litre tank and a grounds drawer that has a capacity of up to 40 coffee cakes.

Technical data**Aulika****Structural characteristics**

Dimensions (l x h x d)	336 x 555 x 450 mm
Weight	23 kg
Frame material	metal
Chassis material	ABS
Water tank	removable

Electrical characteristics

Power supply	230-240/50 Hz - (120-220V/60 Hz)
Absorbed power	1400 W

Hydraulic characteristics

Boiler	2
Boiler material	stainless steel
Swivel steam spout	water only

Water connections

Water supply connection	3/4"
Water supply	plumbed in or with autonomous tank

Other characteristics

Performance	1
Water tank	1
Coffee beans container capacity	1 kg
Water tank capacity	4 l
Grounds drawer capacity	40
Coffee grinder with steel conical grinding blades	•
Removable coffee group	from 6 gr to 10 gr
Height-adjustable coffee dispenser	•
Grind adjustment	•
Electronic preinfusion	•
Coffee dose adjustment	•
Automatic Cappuccinatore	•
Digital display	5"
Automatic decalcification cycle	•
Simultaneous delivery of 2 coffee cups	•
Number of selections	5
Number of pre-selections	1

Performance

Hot water production/hour (150 cc cup)	130
Coffee production/hour (30 cc cup)	130

International Network



ENG - 3200153 | 01 - 10/11

Argentina

Saeco Argentina S.A.
Edificio Philips
Vedia 3892 Piso 3
(C1430DAL) Buenos Aires
Tel. +54 11 45467755
Fax +54 11 45467747
www.saecovending.com.ar

France

Saeco France
33 rue de Verdun
92150 Suresnes
Tel. +33 1 47281811
Fax +33 1 47281791
www.saecovending.fr

Portugal

Saeco Ibérica, S.A.
Sant Ferran 34-36
08940 Cornellá de Llobregat
(Pol. Almeda) Barcelona
Tel. +34 93 4740017
Fax +34 93 4740434
www.saecovending.com.pt

Italy

Saeco Vending S.p.A.
Località Casona, 1066
40041 Gaggio Montano
Bologna
Tel: +39 0534 7741
Fax: +39 0534 774808
info.saecovending.saecoitaly@philips.com
www.saeco.com

Benelux

Saeco France
33 rue de Verdun
92150 Suresnes - France
Tel. +32 11 261169
Fax +32 11 261170
www.saecovending.be

Germany

Saeco GmbH
Krebsbachstrasse 11
78253 Eigeltingen
Tel. +49 7774 505500
Fax +49 7774 505499
www.saecovending.de
www.saeco.co.jp

Spain

Saeco Ibérica, S.A.
Sant Ferran 34-36
08940 Cornellá de Llobregat
(Pol. Almeda) Barcelona
Tel. +34 93 4740017
Fax +34 93 4740434
www.saecovending.es

Canada

Saeco Canada Ltée
8145 Boul. St. Laurent
Montréal, Qc, H2P 2M1
Tel. +1 514 3855551
Fax +1 514 3855585
www.saecovending.ca

Poland

Saeco Polska sp. z o.o.
ul. Zeganska, 30a/5
04-713 Warszawa
Tel: +48 22 8120779
Fax: +48 22 6131660
www.saeco.com.pl

© Saeco Vending S.p.A.

Saeco Vending Spa is a Philips company



Catalogue printed on environmentally friendly recycled paper
FSC-MIXED CREDIT CQ-COC-000010 certified

KEMA CERTIFICATE



ISO 14001

DUTCH COUNCIL FOR ACCREDITATION C 390

ENVIRONMENTAL MANAGEMENT SYSTEM

KEMA CERTIFICATE



ISO 9001:2008

DUTCH COUNCIL FOR ACCREDITATION C 013

QUALITY MANAGEMENT SYSTEM

As our Company is constantly involved in the continuous improvement of its production, aesthetic characteristics and dimensions, technical data, equipment and accessories can be subject to variation. For this reason the manufacturer reserves the right to make any changes without prior notice.